



Video

Innov-is NV2600

Large embroidery area

The large 160 x 260 mm embroidery area gives you the space for large, intricate designs.



Colour LCD touch screen

Manage all the functions on the full-colour touch screen display and the touch sensor keypad. Adjust stitch length, width and density settings and save to memory. Preview embroidery designs in full-colour and zoom in to see intricate details of each design.



Pivot function

The pivot system allows you to turn items ready to sew in another direction – great for quilters.

ICAPS - Continuous Automatic Pressure System

The ICAPS fabric sensor system continuously detects fabric thickness while sewing and automatically adjusts pressure to ensure even stitch quality over different fabric thicknesses.



SFDS – Square Feed Drive System

The enhanced Square Feed Drive System (SFDS) provides strong, smooth feed for optimum stitch quality.



232 built-in stitches

including 10 automatic one-step buttonhole styles, 89 utility stitches, 133 decorative stitches



Frame shapes

10 frame shapes and 14 border styles to allow those extra finishing touches to your embroidery.



11 built-in embroidery and 5 sewing fonts

Add a personal touch to your projects with a wide variety of built-in sewing and embroidery fonts. Ideal for monograms, names, sentiments, etc.



Slide speed

Slide speed control adjusts speed from slow to fast. This can also be set to alter stitch width whilst sewing.

Automatic needle threader

Simply follow the thread guide, lower the lever and the needle is threaded for you.



Quick-set drop-in bobbin

Drop in a full bobbin and you are ready to sew.



LED lighting

Extra-bright LED lighting to illuminate your work area with a clean, natural light.



Knee lift

Free up your hands using the knee lift to raise/lower the presser foot. Ideal for large projects such as quilts.



Fast and accurate sewing and embroidery

850 stitches per minute speed

My Custom Stitch

Design your own stitch patterns or edit and change the built-in template designs and save for future use.

Fully automatic thread tension

Automatically adjusts thread tension to best suit the fabric being sewn.

Thread sensors

The Innov-is NV2600 has upper and lower thread sensors that warn when thread is broken or has run out.

Side feed

Side feed for multi-directional sewing in four directions with straight and zigzag stitches. Sews extra-large decorative stitches up to 40 mm wide.

Optional extras

- Multi-function foot controller: Choose from four functions: Thread cutter, Sewing one stitch, Reverse stitch, Needle up/down
- Circular sewing attachment
- Wide table
- Free-motion grip
- Ruffler foot
- Embroidery threads
- LED pointer embroidery foot
- PE-Design 10 software and PE-Design Plus
- Optional embroidery frames: EF73 embroidery frame 20 x 60 mm, EF74 embroidery frame 100 x 100 mm, EF75 embroidery frame 130 x 180 mm, BF2 border frame 100 x 180 mm, SEF150 quilting frame 150 x 150 mm
- 2-pin spool stand